

Impala Platinum Limited ("Impala")

Request for Supplier Information (RFI)

Services Required: SUPPLY AND DELIVERY OF ELECTRICAL CONSUMABLES

Impala Platinum (PRINCIPAL) is planning a tender for the Supply and delivery of Electrical Consumables

1. SCOPE

This tender is to Supply and Deliver Electrical Consumables to Impala Platinum Limited (Rustenburg operations) as stipulated in the spreadsheet below.

2. SPECIFICATION

The supply and delivery of Electrical Consumables to Impala Platinum Limited (Rustenburg operations) as stipulated in the spreadsheet below.

As per Annexure C.

3. COMPULSORY DOCUMENTATION

- 3.1 Company Profile
- 3.2 Legal Compliance Documentation
 - The Company's registration certificate (CIPC document)
 - Share certificate and ID documents
 - Valid Tax Clearance Certificate
 - Valid Workmen's Compensation Document
- 3.3 Valid SANAS BEE certificate or Affidavit
- 3.4 Completed Annexure A
- 3.5 Completed Annexure B
- 3.6 Completed Annexure C
- 3.7 Complete Annexure D (NDA)

4. SUBMISSION DETAILS

4.1 Please submit documentation as required electronically as follows:

Reference: RFCA A1983 MK / GG: SUPPLY AND DELIVERY OF ELECTRICAL

CONSUMABLES

Email address: gillian.gouws@implats.co.za

Closing date: by no later than 12h00 on 12TH February 2021

Omissions or late delivery of the above required compulsory documentation will lead to disqualification of your company profile from the process.

- 4.2 To qualify for the next phase of the process, Impala will take the following into consideration:
 - Minimum technical requirements as set out in Annexure B
 - BEE and Tier Status (preference will be given to >51% Black / Women / Youth owned and controlled suppliers);
 - · Legal compliance of the Supplier
- 4.3 Impala reserves the right to determine which companies proceed to the next phase in the process and it reserves its' rights not to furnish reasons in support of its decision to permit/not permit a company to proceed to the next phase.
- 4.4 Definition of Woman-owned and Youth owned:

"Women-owned and controlled company": refers to an entity in which South African women hold at least 51% of exercisable voting rights and economic interest.

"Youth owned and controlled company": youth, for the purposes of the mining charter, refers to (a) young South African citizens between the ages of 18 to 35 years based on national or provincial demographics; or (b) a juristic person managed and controlled by a person/s contemplated in paragraph (a) where the persons, collectively or as a group, own and control majority of the issued share capital or members' interest; and are able to control the majority of the members' vote.

4.5 Joint Ventures, Consortiums and Interested Parties:

- a) Impala prefers incorporated Joint Ventures ("JV") structures. Should the interested parties persist in replying to this RFI as a JV or a Consortium, Interested Parties must:
 - Clearly indicate the respective JV ownership percentages as well as the structure of the proposed joint venture and include the governing board of the Joint Venture.
 - Submit a BBBEE Certificate/Sworn Affidavit (where applicable) in respect of such JV partners as well as the ownership percentage split to be included in the "RFI" to ensure a fair and equitable process.
 - Provide copies of the JV Agreement and Shareholding Agreement for Impala's perusal, detailing the specifics of the Joint Venture arrangement relevant to any potential future tender.
 - Be aware that Impala reserves the right to conduct a company assessment at any stage on each of the individual JV entities and quantitatively as well as qualitatively audit the same.
 - Provide all of the requirements indicated in point 4 above for each JV Company or Consortium.
 - Provide a combined SANAS certificate for the JV/Consortium.
- b) Please note that failure to submit the requested documentation will result in your exclusion from any potential forthcoming tender resultant from this RFI.

ANNEXURE A:

SUPPLIERS DETAIL:

| Supplier Name: | |
|-------------------|--|
| Contact Person: | |
| Address: | |
| Telephone Number: | |
| Cell Number: | |
| Email Address: | |

Please ensure that the following documentation is attached:

| Question | Yes | No | Comment |
|---|-----|----|---------|
| Did you attach your company profile? | | | |
| Did you attach your valid Affidavit/BEE certificate? | | | |
| Is your company >51% black-owned and controlled? (If yes, please submit your shares certificates and ID documentation of your shareholders) | | | |
| | | | |

| Is your company >51% women-owned and controlled? (If yes, please submit your shares certificates and ID documentation of your shareholders) | | |
|--|--|--|
| Is your company >51% youth-owned and controlled? (If yes, please submit your share certificates and ID documentation of your shareholders) | | |
| Did you attach your CIPC document? | | |
| Did you attach your Tax Clearance certificate? | | |
| Did you attach your Workmen's Compensation document? | | |
| Are you entering into a JV or Consortium? | | |
| Proof of residence (Kgosana Letter or letter from local municipality) | | |

ANNEXURE B

TECHNICAL INFORMATION:

Please provide evidence of the following information:

1. Are you a Manufacturer or Agent for the Supply and Delivery of Electrical Consumables

Please tick a relevant box:

| Manufacturer | |
|--------------|--|
| Agent Only | |

2. Reputable References

Quantity contactable References relevant to the scope of work

| | Tick box | Contact Person | Contact Number |
|----------------|----------|----------------|----------------|
| More than Five | | | |
| Four to Five | | | |
| Two to Three | | | |
| None | | | |

Complete the contact person and number on the references

3. <u>Number of years Experience</u> in the supply of Electrical Consumables

Number of years experience related to the scope of work Tick appropriate box:

| More than Five years | |
|--|--|
| More than three years and less than five years | |
| Two to Three years | |
| Less than two years | |
| None | |

ANNEXURE C

The Average Annual consumption indicated per Electrical Consumable item is a guideline and Not a guaranteed future order quantity for supply.

| Short Description | Commodity | Estimate Annual Consumption | Price (Excl VAT) | <u>VAT</u> | Price (Incl VAT) |
|--|------------|-----------------------------|------------------|------------|------------------|
| Deep Cycle 105AH Calcium Lead Acid Batte | Battery | 8 | | | |
| Deep Cycle NS 70 Calcium Lead Acid 12v | Battery | 128 | | | |
| 2,5mm x 19 Core CU PVC SWA LH Black/Blue | Cable | 1500 | | | |
| SILICON WIRE 2.5mm BLACK | Cable | 8 | | | |
| SUP 95MM2 BARE COPPER EARTH CABLE | Cable | 1200 | | | |
| Supply 300mm2 SC XLPE AWA AL Cable | Cable | 1800 | | | |
| Cable tie hellerman 148x3.5mm | Cable Ties | 60 | | | |
| Cable tie hellermann 388x7,8mm | Cable Ties | 60 | | | |
| EDG-3X100 CABLE TIE 100X3.0MM T18R | Cable Ties | 6 | | | |
| EDG-4X150 CABLE TIE 100X4.0MM T30R | Cable Ties | 6 | | | |
| EDG-5X200 CABLE TIE 100X5.0MM T50R | Cable Ties | 6 | | | |
| Hellerman Tyton Insulok Cable Tie | Cable Ties | 300 | | | |
| Hellermann tyton cable ties 305x4.7mm | Cable Ties | 30 | | | |
| KT4U078-0350 SS Cable Ties (Ball Lokt) | Cable Ties | 60 | | | |
| Supply insulock cable ties T120R | Cable Ties | 30 | | | |
| T50R cable ties black | Cable Ties | 150 | | | |
| Day/night switch,twilight,220v | Day/Night | 60 | | | |
| Daylite switch 15amp 220v voltex | Day/Night | 18 | | | |
| Supply Waco Blue Day Night Switch | Day/Night | 30 | | | |
| WACO P16 TWILIGHT SWITCH DAYNIGHT | Day/Night | 135 | | | |
| 110VAC Deebar scatter light - Amber | Lighting | 12 | | | |
| 110VAC Deebar scatter light - Red | Lighting | 12 | | | |
| 24vdc LED cluster railway signal green | Lighting | 18 | | | |
| 24vdc LED cluster railway signal red | Lighting | 18 | | | |
| 2FT LED TUBE 230V | Lighting | 60 | | | |
| 2Ft led tube,9W,4500k | Lighting | 120 | | | |
| Amber flasher EMES lights 110VAC | Lighting | 30 | | | |
| AMBER STROBE 110Vac(flashing orange) | Lighting | 30 | | | Pg. |
| EHLLEDRECTG-LED FLASHING LIGHT GREEN 12/ | Lighting | 30 | | | |

| Short Description | Commodity | Estimate Annual | Price (Excl VAT) | VAT | Price (Incl VAT) |
|--|-----------|------------------------|------------------|-----|------------------|
| | | <u>Consumption</u> | | | |
| EHLLEDRECTR FLASHING LIGHT RED 12/ | Lighting | 30 | | | |
| EHLSTRLEDA-AMBER CASTED STOBE LIGHT 32 L | Lighting | 30 | | | |
| Led Cluster Light 110V Green deebar | Lighting | 30 | | | |
| Led Cluster Light 110V Red deebar | Lighting | 30 | | | |
| LED Traffic Lights R/G 110VAC | Lighting | 30 | | | |
| Led weatherproof 1,5m lights fitting 220 | Lighting | 30 | | | |
| loco headlights-011A | Lighting | 30 | | | |
| Osram,Gu10,220v,9w,cool white | Lighting | 120 | | | |
| Philips lamp led,A60,6W,E27,6500K | Lighting | 120 | | | |
| Philips,B22,220v,9w | Lighting | 150 | | | |
| Philips,E27,220v,9w | Lighting | 150 | | | |
| RED STROBE 110Vac(flashing red) | Lighting | 18 | | | |
| Supply 2FT Double, Vapour Proof Fittings | Lighting | 15 | | | |
| Supply 2FT LED Glass tubes 9W 6500k | Lighting | 75 | | | |
| Supply waterproof LED 2x22 1,5m fitting | Lighting | 18 | | | |
| Voltex 4ft weather proof light fitting d | Lighting | 50 | | | |
| Voltex 5ft weather proof light fitting d | Lighting | 50 | | | |
| 2x16A SWITCHED SOC OUTLET 4x4 C/W WHITE | Plug box | 30 | | | |
| 2x4" OPEN BACK STEEL EXTENSION BOX SURF | Plug box | 60 | | | |
| 4x4" CLOSED BACK STEEL EXTENSION BOX SU | Plug box | 30 | | | |
| Double switch industrial soket 2x4 | Plug Box | 60 | | | |
| Double switch plug socket 16A | Plug Box | 18 | | | |
| INDUSTRIAL PLUG DOUBLE 16AMP(7392) | Plug box | 60 | | | |
| Supply double plug 100x100 | Plug box | 12 | | | |
| Supply double plug 100x100 16A | Plug box | 52 | | | |
| Single Switch socket 16A : | Plug box | 30 | | | |
| Crabtree 100x100 double,cover | Plug Box | 60 | | | |
| Crabtree classic cov plt soc std 100*50 | Plug Box | 150 | | | |
| Crabtree socket double,16A | Plug Box | 60 | | | |
| Crabtree sso+yoke 100x100 duo,16A | Plug Box | 60 | | | |

| Short Description | Commodity | Estimate Annual | Price (Excl VAT) | \/AT | Dwice (Incl.)(AT) |
|--|------------------|-----------------|------------------|------------|-------------------|
| Short Description | <u>commodity</u> | Consumption | Price (EXCIVAL) | <u>VAT</u> | Price (Incl VAT) |
| Crabtree sso+yoke 100x50 sgl,16A | Plug Box | 60 | | | |
| Crabtree,1 lever 1 way + cover | Plug Box | 90 | | | |
| Supply 100x100 1x16A+3xslim 16A | Plug Box | 63 | | | |
| Supply 100x100 Extension box | Plug Box | 81 | | | |
| Supply 4x4 Extension Boxes 100x100mm | Plug Box | 60 | | | |
| 2 X 16A 4X4 SWITCH SOCKET C/W COVER PLAT | Plug Boxes | 30 | | | |
| Ceiling Pull switch | Pull Switch | 3 | | | |
| Pull switch c/w Micro switch and bracket | Pull Switch | 9 | | | |
| Pull switches for Apollo tip light | Pull Switch | 12 | | | |
| Supply light pull switch | Pull Switch | 6 | | | |
| Supply f/878 Limit Pull switch | Pull Switch | 3 | | | |
| S/Steel ball lock cable tie 150x4.6mm | Steel Ties | 18 | | | |
| S/Steel ball lock cable tie 200x8mm | Steel Ties | 18 | | | |
| S/Steel ball lock cable tie 400x8mm | Steel Ties | 18 | | | |
| S/Steel ball lock cable tie 520x8mm | Steel Ties | 9 | | | |
| Stainless steel cable ties 350mm x 4.6mm | Steel Ties | 12 | | | |
| Stainless steel cable ties code;MBT20H | Steel Ties | 6 | | | |
| Supply 2,5mm 2core+ earth surfix cable | Surfix - | 200 | | | |
| Supply surfix 1,5mm(2core+earth) cable | Surfix - | 15 | | | |
| Supply surfix 2,5mm(2core+earth) cable | Surfix - | 15 | | | |
| Surfix 2.5mm2,2+E | Surfix - | 200 | | | |
| SURFIX WHITE 50m 2.5MM X 2CORE + EARTH | Surfix - | 2 | | | |
| 4mm Earth Terminal | Terminal | 20 | | | |
| 4mm Terminal | Terminal | 100 | | | |

| Short Description | Commodity | Estimate Annual Consumption | Price (Excl VAT) | <u>VAT</u> | Price (Incl VAT) |
|--|----------------|-----------------------------|------------------|------------|------------------|
| Bootlace ferrule 1.5sqmm wire size Black | Terminal/Lugs | 1200 | | | |
| Bootlace ferrule 6sqmm wire size green | Terminal/Lugs | 900 | | | |
| bootlace ferrule black 1.5mm 100/pkt | Terminal/Lugs | 150 | | | |
| bootlace ferrule blue 0.75mm 100/pkt | Terminal/Lugs | 15 | | | |
| bootlace ferrule grey 2.5mm 100/pkt | Terminal/Lugs | 45 | | | |
| bootlace ferrule red 1.0mm 100/pkt | Terminal/Lugs | 150 | | | |
| bootlace ferrule white 0.5mm 100/pkt | Terminal/Lugs | 15 | | | |
| Ferrule XLPE 70mm Stamcor | Terminal/Lugs | 1200 | | | |
| FERRULES 25MM STONE TAMCOR | Terminal/Lugs | 300 | | | |
| Lug XLPE 70mm X 16 Stamcor | Terminal/Lugs | 1200 | | | |
| 10mm Earth Terminal | Terminals | 60 | | | |
| 10mm Terminal | Terminals | 300 | | | |
| 16mm Earth Terminal | Terminals | 60 | | | |
| 16mm Terminal | Terminals | 300 | | | |
| 2.5mm Terminal | Terminals | 300 | | | |
| SIEMENS CIRCULAR CONDUCTOR TERMINALS | Terminals/Lugs | 18 | | | |
| 2000VA S/P 525V - 110V COMPL | Transformer | 3 | | | |
| 2000VA S/P 525V - 220v COMPL | Transformer | 3 | | | |